Author Index

Alesse, E., see Cifone, M.G., 149

Angeli, A., see Masera, R., 11

Baral, E., Kwok, S. and Berczi, I., Suppression of lymphocyte mitogenesis by tamoxifen, 57

Batoni, G., see Malvaldi, G., 81

Berczi, I., see Baral, E., 57

Borda, E., see Genaro, A.M., 63

Braceschi, L., see Luini, W., 73

Bruni, A., see Ponzin, D., 167

Camanni, F., see Matera, L., 145

Campa, M., see Malvaldi, G., 81

Carignola, R., see Masera, R., 11

Cesano, A., see Matera, L., 145

Chiang, B.J., see Su, H.-L., 135

Ciccarelli, E., see Matera, L., 145

Cifone, M.G., Alesse, E., Di Eugenio, R., Napolitano, T., Morrone, S., Paolini, R., Santoni, G. and Santoni, A., In vivo cadmium treatment alters natural killer activity and large granular lymphocyte number in the rat, 149

Clark, C., Woodson, M.M., Winge, V.B. and Nagasawa, H.T., The antiviral drug amantadine has a direct inhibitory effect on T-lymphocytes, 195

Danesi, R., see Malvaldi, G., 81

De Carolis, C., see Perricone, R., 89

De Sanctis, G., see Perricone, R., 89

Di Eugenio, R., see Cifone, M.G., 149

Doria, G., see Ponzin, D., 167

Dorr, R.T. and Shipp, N.G., Effect of interferon, interleukin-2 and tumor necrosis factor on myocardial cell viability and doxorubicin cardiotoxicity in vitro, 31

Fabbri, A., see Perricone, R., 89

Finkelman, F., see Mond, J.J., 205

Flipo, D., see Krzystyniak, K., 157

Fontana, L., see Perricone, R., 89

Fournier, M., see Krzystyniak, K., 157

Fraioli, F., see Perricone, R., 89

Gatti, G., see Masera, R., 11

Genaro, A.M. and Borda, E., Alloimmunization-induced changes in β-adrenoceptor expression and cAMP on B lymphocytes, 63

Gnessi, L., see Perricone, R., 89

Goldstein, A.L., see Tzehoval, E., 107

Hamilos, D.L., Zelarney, P. and Mascali, J.J., Lymphocyte proliferation in glutathione-depleted lymphocytes: direct relationship between glutathione availability and the proliferative response, 223

Han, S.H., see Su, H.-L., 135

Hanafin, W.P., see Myers, M.J., 115

Herberman, R.B., see Wang, Y.-L., 213

Holáň, V. and Štědra, J., Distinct effects of aminopterin on stimulation of T and B lymphocytes with mitogen, 23

Huang, M.H., see Su, H.-L., 135

Hunter, K., see Mond, J.J., 205

Izushi, K. and Tasaka, K., Histamine release from β-escin-permeabilized rat peritoneal mast cells and its inhibition by intracellular Ca^{2+} blockers, calmodulin inhibitors and cAMP, 177

Kalf, G.F., see Pirozzi, S.J., 39

Kaplan, S., see Wang, Y.-L., 213

Kenny, J.J., see Mond, J.J., 205

Koren, R., Liberman, U.A., Maron, L., Novogrodsky, A. and Ravid, A., 1,25-Dihydroxyvitamin D_3 acts directly on human lymphocytes and interferes with the cellular response to interleukin-2, 187

Krzystyniak, K., Flipo, D., Mansour, S. and Fournier, M., Suppression of avidin processing and presentation by mouse macrophages after sublethal exposure to dieldrin, 157

Kwok, S., see Baral, E., 57

Lawton, J.W.M., Robinson, J.P. and Till, G.O., The effect of intravenous immunoglobulin on the in vitro function of human neutrophils, 97

Liberman, U.A., see Koren, R., 187

Lin, C.-Y. and Low, T.L.K., A comparative study on the immunological effects of bovine and porcine thymic extracts: induction of lymphoproliferative response and enhancement of interleukin-2, γ-interferon and tumor necrotic factor production in vitro on cord blood lymphocytes, 1

Low, T.L.K., see Lin, C.-Y., 1

Luini, W., Sozzani, S., Braceschi, L., Vecchi, A. and Spreafico, F., Effect of bacterial purified antigenic fractions on natural defence mechanisms, 73

Magro, A., see Masera, R., 11

Malvaldi, G., Batoni, G., Marelli, P., Zolfino, I., Senesi, S., Danesi, R. and Campa, M., Depression of the immune responsiveness in mice treated with thioacetamide after antigen exposure, 81

Mancini, C., see Ponzin, D., 167

Mansour, S., see Krzystyniak, K., 157

Marelli, P., see Malvaldi, G., 81

Maron, L., see Koren, R., 187

Mascali, J.J., see Hamilos, D.L., 223

Masera, R., Gatti, G., Sartori, M.L., Carignola, R., Salvadori, A., Magro, A. and Angeli, A., Involvement of Ca^{2+}-dependent pathways in the inhibition of human natural killer (NK) cell activity by cortisol, 11

Matera, L., Ciccarelli, E., Cesano, A., Veglia, F., Miola, C. and Camanni, F., Natural killer activity in hyperprolactinemic patients, 145

Miola, C., see Matera, L., 145
Mond, J.J., Hunter, K., Kenny, J.J., Finkelman, F. and Witherspoon, K., 8-Mercaptoguanosine-mediated enhancement of in vivo IgG1, IgG2 and IgG3 antibody responses to polysaccharide antigens in normal and *xid* mice, 205
Moretti, C., see Perricone, R., 89
Morrone, S., see Cifone, M.G., 149
Myers, M.J., Hanafin, W.P. and Schook, L.B., Augmented macrophage PGE_2 production following exposure to dimethylnitrosamine in vivo: relevance to suppressed T cell responses, 115
Myers, M.J., Witsell, A.L. and Schook, L.B., Induction of serum colony-stimulating activity (CSA) following dimethylnitrosamine (DMN) exposure: effects on macrophage differentiation, 125
Nagasawa, H.T., see Clark, C., 195
Napolitano, T., see Cifone, M.G., 149
Novogrodsky, A., see Koren, R., 187
Panerai, A.E., see Perricone, R., 89
Paolini, R., see Cifone, M.G., 149
Perricone, R., Moretti, C., De Carolis, C., De Sanctis, G., Gnessi, L., Fabbri, A., Fraioli, F., Panerai, A.E. and Fontana L., Increased plasma beta-endorphin levels in hereditary angioedema, 89
Pirozzi, S.J., Schlosser, M.J. and Kalf, G.F., Prevention of benzene-induced myelotoxicity and prostaglandin synthesis in bone marrow of mice by inhibitors of prostaglandin H synthase, 39
Ponzin, D., Mancini, C., Toffano, G., Bruni, A. and Doria, G., Phosphatidylserine-induced modulation of the immune response in mice: effect of intravenous administration, 167
Ravid, A., see Koren, R., 187
Robinson, J.P., see Lawton, J.W.M., 97
Salvadori, A., see Masera, R., 11
Santoni, A., see Cifone, M.G., 149
Santoni, G., see Cifone, M.G., 149
Sartori, M.L., see Masera, R., 11
Schlosser, M.J., see Pirozzi, S.J., 39
Schook, L.B., see Myers, M.J., 115
Schook, L.B., see Myers, M.J., 125
Senesi, S., see Malvaldi, G., 81
Shipp, N.G., see Dorr, R.T., 31
Sozzani, S., see Luini, W., 73
Spreafico, F., see Luini, W., 73
Štědra, J., see Holán, V., 23
Su, H.-L., Huang, M.H., Yu, C.L., Han, S.H., Chiang, B.J. and Wang, S.R., The mechanisms of the inhibitory effects of liver extract on lymphocyte proliferation. III. The effects of arginase on DNA polymerase activities, 135
Sztein, M.B., see Tzehoval, E., 107
Tasaka, K., see Izushi, K., 177
Till, G.O., see Lawton, J.W.M., 97
Toffano, G., see Ponzin, D., 167
Tzehoval, E., Sztein, M.B. and Golstein, A.L., Thymosins α_1 and β_4 potentiate the antigen-presenting capacity of macrophages, 107
Vecchi, A., see Luini, W., 73
Veglia, F., see Matera, L., 145
Wang, S.R., see Su, H.-L., 135
Wang, Y.-L., Kaplan, S., Whiteside, T. and Herberman, R.B., In vitro effects of an acyltripeptide, FK565, on antitumor effector activities and on metabolic activities of human monocytes and granulocytes, 213
Whiteside, T., see Wang, Y.-L., 213
Winge, V.B., see Clark, C., 195
Witherspoon, K., see Mond, J.J., 205
Witsell, A.L., see Myers, M.J., 125
Woodson, M.M., see Clark, C., 195
Yu, C.L., see Su, H.-L., 135
Zelarney, P., see Hamilos, D.L., 223
Zolfino, I., see Malvaldi, G., 81

Subject Index

β-Adrenoceptor, 63
Alloimmunization, 63
Amantidine, 195
Aminopterin, 23
cAMP, 63, 177
Antibody production, 167
Antibody response, 205
Antigen presentation, 107
Antigen processing, 157
Antitumor cytostasis, 213
Antitumor cytotoxicity, 213
Arginase, 135
B cell, 23, 63
Bacterial purified antigenic fraction, 73
Benzene, 39
Buthionine sulfoximine, 223
Ca^{2+}, 177
Cadmium chloride, 149
Calcium, 11
Calmodulin, 11
Carcinogen, 81
Cardiotoxicity, 31
Cell-mediated immunity, 115
Chemiluminescence, 97
Chemotaxis, 97
Complement, 89
Cortisol, 11
Cysteine, 223
Dieldrin, 157
1,25-Dihydroxyvitamin D_3, 187
Dimethylnitrosamine, 115
Dimethylnitrosamine, 125
DNA polymerase, 135
Doxorubicin, 31
Endogenous opioid, 89
β-Endorphin, 89
Estradiol, 57
FK565 acyltripeptide, 213
Glutathione, 223
Granulocyte function, 213
GTP-γ-S, 177
Heart, 31
Hereditary angioedema, 89
Histamine release, 177
Humoral response, 157
Hydrogen peroxide, 97
Hyperprolactinemia, 143
Hypoxanthine, 23
Immunodepression, 81
Immunosuppression, 157
Immunotoxicity, 157
Inhibition, 195
Interferon, 31
γ-Interferon, 1
Interleukin, 31
Interleukin 2, 1, 107, 187
Interleukin 2 receptor, 107
Intravenous immunoglobulin, 97
IP_3, 177
Large granular lymphocyte, 149
Liposomes, 167
β-Lipotropin, 89
Liver extract, 135
Lymphocyte, 57, 63
Lymphocyte inhibition, 135
Lymphocyte proliferation, 223
Lysophosphatidylserine, 167
Macrophage, 107, 125
2-Mercaptoethanol, 223
Mitogenesis, 57
Mitogens, 23
Monocyte function, 213
Mouse macrophage, 157
Murine adjuvant, 205
Myelotoxicity, 39
Natural defence, 73
Natural killer activitiy, 73, 149
Natural killer cell, 11, 143
Neutrophil, 97
Organochlorine pesticide, 157
Permeabilization, 177
PGE_2, 115
Phosphatidylserine, 167
Polysaccharide antigen, 205
Prolactin, 143
Proliferation, 195
Prostaglandin H synthase inhibitor, 39
Prostaglandin, 39
Rat mast cell, 177
Rat, 57, 149
Serum colony-stimulating activity, 125
Spleen, 57
Splenocytes, 167
Stress, 89
Superoxide generation, 213
Superoxide, 97
T-cell activity, 115
T-cell growth factor, 167

T cells, 23
T lymphocyte, 187, 195
Tamoxifen, 57
TG-15-I, 1
TG-15-II, 1
Thioacetamide, 81
Thymic hormone, 107
Thymosin alpha 1, 107
Thymosin beta 4, 107
Toxicity, 157
TP-1, 1
Tumor necrosis factor alpha (TNF α), 73
Tumor necrosis factor, 1, 31